



ERHARDT PM^{light}

RELIABLE PROTECTION AGAINST SUN, WIND AND RAIN

 **ERHARDT[®]
MARKISEN**

Mehr. Freude. Leben. Zuhause.



ERHARDT PM^{light}

LARGE NUMBER OF VARIATIONS AS SMALL, COMPACT PERGOLA AWNING

The new PM^{light} is based on the new TM18 conservatory awning. Its slender columns and side-mounted guide rails ensure large-area shading. The pergola awning provides high stability and wind safety thanks to the fixing points on the facade and the supports, which are fixed to the floor. You can relax in your favourite place in a comfortable, shaded atmosphere.

The PM^{light} will convince you with its completely new design and its ZIP technology, with which the side fabric guide is routed between the fabric and the guide rail without a gap. Once the awning is extended, the outrigger arms with their side guide rails ensure perfectly-fitting closure. This results in an attractive appearance at the highest-possible wind safety level. The construction of the awning and the materials used ensure safety and the highest-possible stability with perfect fabric stability even in the strongest winds.

The PM^{light} is suitable as a small, compact pergola awning with its wide range of variations. It is the ideal sunshade, especially for terraces and in the catering industry.





ERHARDT PM^{light} AT A GLANCE

All features of the ERHARDT PM^{light}

Minimum width	100 x 250 cm
Maximum width	500 x 450 cm
Installation technology	Fixing of the cassette using brackets, 2 side rails on supports which are fixed to the floor
Overhang	Rails max. 100 cm
Application areas	as a pergola, terrace roofing
Technology	low-noise electric motor, tensioning system uses opposing technology
Cassette awning	All-round protection for fabric and technology
Frame colour	<ul style="list-style-type: none">• white (RAL 9016)• grey aluminium texture (RAL 9007 fine texture)• anthracite (DB 703)
Requested colours	any RAL colour possible
Fabric designs	<ul style="list-style-type: none">• Tibelly Ambient collection (polyester)• Tibelly Classic collection (acryl)
Angle of inclination	0°-45°
Special features	<ul style="list-style-type: none">• with motor as standard• version without fabric and without zip possible• aluminium supports

Optional additional fittings

- radio motor with remote control
- wind automation / solar automation
- rain sensor
- awning fabric with welded bonding technology
- insulation above roof with light track (optionally dimmable)
- infrared radiant heater (incl. radio dimmer)



Your ERHARDT specialist partner